

NYCTIXALUS PICTUS (White-spotted Tree Frog). THAILAND: NAKHON SI THAMMARAT PROVINCE: KHAO LUANG NATIONAL PARK: Khao Luang (ca. 8°27'N, 99°37'E). No date. M. Matsui. Graduate School of Human and Environmental Studies, Kyoto University (KUHE 19435). Verified by J. Nabhitabhata. Single adult. RANONG PROVINCE: Muang District: forest stream near Klong Hat Som Paen (ca. 9°57'N, 98°41'E). 9 January 2003. C. Chimsunchart, M. Sumontha, and O.S.G. Pauwels. Institut Royal des Sciences naturelles de Belgique, Brussels (IRSNB 13241). Verified by C. Chimsunchart. Single adult, found at 2235 h on a shrub along the water, 1.5 m above the ground. First records for both provinces. The closest records in Thailand are from Raman Forest Park (Pauwels et al. 2000. Abstracts. Fourth Asian Herpetological Conference. 16–20 July 2000, Chengdu, China: 137; voucher specimen in Muséum National d'Histoire Naturelle, Paris) and Laem Hin Chang (Grossmann and Tillack 2000. Sauria 22[4]: 23–38), Phang-Nga Province, southern Thailand. The locality in Ranong Province is situated at ca. 145 air km N of the previous northernmost locality for *N. pictus* in mainland Southeast Asia, and less than 20 air km from Myanmar, where the species has not yet been recorded.

We thank C. Chimsunchart (Phetchaburi), A. Aowphol and K. Thirakhupt (Chulalongkorn University, Bangkok), and G. Coulon and G. Lenglet (IRSNB) for help and working facilities.

Submitted by OLIVIER S. G. PAUWELS, Department of Recent Vertebrates, Institut Royal des Sciences naturelles de Belgique, Rue Vautier 29, 1000 Brussels, Belgium (e-mail: osgpauwels@hotmail.com), MONTRI SUMONTA, Ranong Marine Fisheries Station, 157 M. 1, Saphan-Pla Rd., Paknam, Muang, Ranong 85000, Thailand (e-mail: montri_sumontha@hotmail.com), and MASAFUMI MATSUI, Graduate School of Human and Environmental Studies, Kyoto University, Sakyo, Kyoto 606-8501, Japan (e-mail: fumi@zoo.zool.kyoto-u.ac.jp).

OSTEOCEPHALUS BUCKLEYI (Buckley's Slender-legged Treefrog). PERÚ: MADRE DE DIOS: Manu: Río Los Amigos Conservation Concession, Río Los Amigos Research Center (12°34'S, 70°06'W, 270 m elev.). 14 February 2002, 10 March 2003, 1 April 2003. R. von May, N. Carrillo. Museo de Historia Natural Universidad San Marcos, Lima, Perú (MHNSM 19225, male 39.8 mm SVL; MHNSM 19226, male 38.6 mm SVL; MHNSM 19227, female 50.9 mm SVL). Collected between 2000 and 2400 h, on understory vegetation 0.6–1.4 m above ground, in an old-growth tierra firme forest ca. 2.5 km N and 3.5 km NW from research center.). Verified by K.H. Jungfer. First record for Madre de Dios Department and second record for southern Perú (Rodríguez et al. 1993. Publ. Mus. Hist. Nat. UNMSM [A] 45:1–22; Duellman and Thomas 1996. Occas. Pap. Mus. Nat. Hist. Univ. Kansas 180:1–34; Trueb and Duellman 1971. Occas. Pap. Mus. Nat. Hist. Univ. Kansas 1:1–47). The nearest known localities in Perú are: Balta, Ucayali Department (ca. 300 km NW) (Duellman and Thomas 1996, *op. cit.*) and Yahuarayamo, Puno Department (ca. 150 km S) (Trueb and Duellman 1971, *op. cit.*). This record fills a hiatus of ca. 450 km in the southwestern region of the known range for this species. This includes the periphery of the Amazon Basin in the Guianas and northeastern Brazil, as well as part of the Amazon Basin in southern Colombia, Ecuador, Perú, and east-

central Bolivia (Trueb and Duellman 1971, *op. cit.*).

Submitted by RUDOLF VON MAY, Asociación para la Conservación de la Cuenca Amazónica (ACCA), Calle Cuzco 499, Puerto Maldonado, Madre de Dios, Perú; e-mail: vonmay@terra.com.

OSTEOPILUS SEPTENTRIONALIS (Cuban Treefrog). USA: FLORIDA: SEMINOLE Co: 2.2 km E of Interstate 4 on Lake Mary Road (UF 87342). 19 April 1993. Central Florida Zoological Park grounds, 0.3 km S of Interstate 4 on US 17/92 (UF 87341 and 87344). 0.9 km S of Volusia Co. line on US 17/92 (UF 87343). 25 May 1993. Douglas Meffaffey and Michael E. Welker. Verified by David L. Auth and Kenneth L. Krysko, Florida Museum of Natural History. New county records (Meshaka 2001. The Cuban Treefrog in Florida: Life History of a Successful Colonizing Species. University Press of Florida, Gainesville, Florida, 208 pp.).

Submitted by MICHAEL E. WELKER, 1911 NW 55th Terrace, Gainesville, Florida 32605, USA; e-mail: herpconservation69@yahoo.com.

PHYLLONASTES MYRMECOIDES. BOLIVIA: DEPARTAMENTO LA PAZ: Provincia Iturralde: Candelaria (13°35'12.5"S; 68°40'48"W). 29 August 2001. C. Cortez. Colección Boliviana de Fauna, La Paz, Bolivia (CBF 5222). DEPARTAMENTO COCHABAMBA: Provincia Chapare: Santa Anita (16°38'56"; 65°47'36"). 6 September 2002. A. Romero. CBF 1007. Verified by J. Aparicio and A. Muñoz. First country records. Previously known from Peru and Brazil. De la Riva et al. (Rev. Esp. Herpetol. 2000. 14:19–164), expected that this species would be found in the Amazonian part of Bolivia. These records extend the known distribution 567 km (airline) SE from the nearest locality at Explorer's Inn in Peru (Doan and Arizábal 2002. Biotropica 34:101–117).

Submitted by STEFFEN REICHLE, The Nature Conservancy – Bolivia Program, Edificio Multicentro Torre B, piso 4 ofc. 402, La Paz, Bolivia; RODRIGO AGUAYO, Centro de Biodiversidad y Genética, Universidad Mayor de San Simón, C/Sucre esq. Parque La Torre, Casilla 538, La Paz, Bolivia; and CLAUDIA CORTEZ, Colección Boliviana de Fauna, Calle 26 de Cota Cota, La Paz, Bolivia.

RANA AREOLATA (Crawfish Frog). USA: OKLAHOMA: WASHINGTON Co.: ca. 2.1 km W of Hwy 75 at Ramona on W3350 Road (UTM zone 15; 233905E, 4047104N, NAD 83.). 04 March 2004. Stephen C. Richter and Donald B. Shepard. Verified by Janalee P. Caldwell. Sam Noble Oklahoma Museum of Natural History Collection (OMNH 39878). First county record. (Bragg 1953. Wasmann J. Biol. 11:273–318). AOR male, 96.5 mm SVL, 102.9 g mass; air temperature was 13.9°C; rainfall during the previous two days was 8.9–10.2 cm. Crawfish Frogs were chorusing in three wetlands in a cattle pasture just S of W3350 Road.

Submitted by STEPHEN C. RICHTER and DONALD B. SHEPARD, Department of Zoology, University of Oklahoma, 730 Van Vleet Oval, Norman, Oklahoma 73019, USA; e-mail: richter@ou.edu.

RHAMPHOPHYNE MACRORHINA (Billed Toad, Trumpeted Toad). COLOMBIA: ANTIOQUIA: Anorí Municipality: La Forzosa Forest (6°58'54.1"N, 75°8'41.6"W). 11 November 2002.